

# Contents

|   |    |
|---|----|
| ABSTRACT .....  | 2  |
| 摘要 .....  | 3  |
| 誌謝 .....  | 4  |
| Contents .....  | 5  |
| Chapter 1 Introduction .....  | 8  |
| 1.1 Background and motivation .....   | 8  |
| 1.2 Literature review .....   | 10 |
| 1.3 Organization and objectives of the dissertation .....   | 12 |
| Chapter 2 Essence of Phase for Tuned Mass Damper .....  | 14 |
| 2.1 Modeling of SDOF structure implemented with TMD .....   | 14 |
| 2.1.1 Equation of motion.....   | 14 |
| 2.1.2 State-Space representation .....  | 16 |
| 2.1.3 Transfer function and frequency responses function.....   | 17 |
| 2.2 Power flow theory .....   | 18 |
| 2.3 Power reactance.....  | 21 |
| 2.4 TMD stroke .....  | 23 |
| 2.5 Numerical Simulations .....   | 24 |
| 2.5.1 Frequency response function.....  | 25 |
| 2.5.2 Free vibration simulations .....  | 28 |
| 2.6 Discussion .....  | 36 |
| Chapter 3 SDOF Structure Implemented with PC-TMD for Wind Loads Application .....                             | 37 |
| 3.1 Equations of motion for a SDOF structure with a phase control tuned mass damper<br>under wind loads ..... | 38 |
| 3.2 Real time phase observation and phase control strategies .....  | 40 |
| 3.3 Sign judgment criteria for friction force applications .....  | 45 |
| 3.4 The on-off friction force calculation .....   | 48 |
| 3.5 Phase Control Algorithm.....  | 49 |
| 3.6 Numerical Verification of a SDOF structure implemented with a PC-TMD .....                                | 51 |
| 3.6.1 Sinusoidal loads.....   | 52 |
| 3.6.1.1 External load with a frequency of 1.0 times the natural frequency of the<br>structure .....           | 52 |
| 3.6.1.2 External load with a frequency of 0.95 times the natural frequency of<br>the structure .....          | 55 |
| 3.6.1.3 External load with a frequency of 1.05 times the natural frequency of<br>the structure .....          | 59 |
| 3.6.2 Frequency Response Function .....   | 63 |

|           |   |     |
|-----------|---|-----|
| 3.6.2.1   | Optimal design parameters of TMD and PC-TMD.....  | 63  |
| 3.6.2.2   | Off-tuned effect of TMD and PC-TMD .....  | 65  |
| 3.6.2.3   | Comparison of maximum friction force of PC-TMD .....  | 68  |
| 3.6.3     | Free Vibration.....   | 70  |
| 3.6.4     | Design Wind Loads .....   | 73  |
| 3.6.4.1   | Sensitivity analysis of the TMD frequency ratio under design wind<br>force.....                               | 77  |
| 3.6.4.2   | Sensitivity analysis of the TMD damping ratio under design wind force<br>.....                                | 79  |
| 3.6.4.3   | Sensitivity analysis of the maximum friction force of PC-TMD under<br>design wind force .....                 | 80  |
| 3.7       | Conclusions of SDOF structure implemented with the PC-TMD for wind loads<br>applications.....                 | 82  |
| Chapter 4 | MDOF Structure Implemented with PC-TMD for Wind Loads Application.....  | 84  |
| 4.1       | A 3-DOF structure implemented with two PC-TMDs .....  | 84  |
| 4.1.1     | Modeling of a 3-DOF structure implemented with two PC-TMDs .....  | 84  |
| 4.1.2     | Phase control algorithm for 3-DOF structure.....  | 90  |
| 4.1.3     | The on-off friction force calculation .....   | 91  |
| 4.1.4     | Numerical Simulations.....  | 94  |
| 4.1.4.1   | Frequency Response Functions.....   | 96  |
| 4.1.4.2   | Design Wind Loads Time History Analysis.....  | 99  |
| 4.1.5     | Conclusions of A 3-DOF structure implemented with two PC-TMDs .....   | 107 |
| 4.2       | A 42-story building implemented with a PC-TMD .....   | 108 |
| 4.2.1     | Modeling of a 42-DOF structure implemented with a PC-TMD .....  | 108 |
| 4.2.2     | Parameters of Primary Structure and TMDs .....  | 112 |
| 4.2.3     | Phase control algorithm for MDOF structure .....  | 113 |
| 4.2.4     | Real-time filter application for phase control algorithm.....   | 113 |
| 4.2.5     | Numerical Simulation .....  | 116 |
| 4.2.6     | Conclusions of A 42-DOF structure implemented with the PC-TMD .....   | 121 |
| Chapter 5 | SDOF Structure Implemented with PC-TMD for Base Excitation Application  | 122 |
| 5.1       | Equations of motion for a SDOF structure with a phase control tuned mass damper<br>under base excitation..... | 122 |
| 5.2       | Phase control algorithm for base excitation .....   | 124 |
| 5.3       | The on-off friction force calculation .....   | 124 |
| 5.4       | Numerical Verification of a SDOF structure implemented with a PC-TMD.....                                     | 125 |
| 5.4.1     | Frequency Response Function .....   | 127 |
| 5.4.1.1   | Without de-tuning effect for TMD and PC-TMD .....   | 127 |
| 5.4.1.2   | Off-tuned effect of TMD and PC-TMD .....  | 129 |
| 5.4.2     | Design Earthquakes.....   | 133 |

|   |     |
|---|-----|
| 5.4.2.1 Sensitivity analysis of the TMD frequency ratio under the in-site earthquake .....              | 137 |
| 5.4.2.2 Sensitivity analysis of the TMD damping ratio under the in-site earthquake .....                | 139 |
| 5.4.2.3 Sensitivity analysis of the maximum friction force of PC-TMD under the in-site earthquake ..... | 140 |
| 5.4.2.4 Sensitivity analysis of the earthquakes.....  | 142 |
| 5.5 Conclusions of SDOF structure implemented with the PC-TMD for base excitation applications.....     | 145 |
| Chapter 6 Conclusions and Future Works.....   | 147 |
| 6.1 Summaries and Conclusions .....   | 147 |
| 6.2 Recommendations for future works .....  | 149 |
| Reference   | 150 |
| Appendix A. Frequency Response Function of A 2DOF System .....  | 155 |
| Appendix B. Instantaneous Phase Calculation by Hilbert Transform.....                                   | 157 |
| Appendix C. Preliminary Design of Maximum Friction Force for the PC-TMD.....                            | 159 |