

ACKNOWLEDGMENTS

We would like to extend our gratitude to the Kumamoto City Water and Sewerage Waterworks Bureau for their data provision as well as to the water utilities and private companies that participated in this review process.

REFERENCES

- [1] M. Miyajima, T. Furuya and M. Fujiwara (2011), “Development of a New Prediction Method of Earthquake Damage to Water Supply Pipeline”, Proceedings of 7th US-Taiwan-Japan Workshop on Water System Seismic Practices
- [2] M. Miyajima, M. Fujiwara (2013), “Verification of a Prediction Method of Earthquake Damage to Water Supply Pipeline by Using Damage Data of the 2011 Great East Japan Earthquake”, Proceedings of 8th US-Taiwan-Japan Workshop on Water System Seismic Practices
- [3] Japan Water Research Center (March 2013). Research Report on the Estimation Equation for Earthquake Damage to Water Supply Pipelines.
- [4] National Research Institute for Earth Science and Disaster Resilience. Mesh data of PGV distribution in the 2016 Kumamoto Earthquake. <http://www.j-risq.bosai.go.jp/report/static/R/20160416012514/0424/00002/R-20160416012514-0424-00002-REPORT.html>. Accessed March 2017.
- [5] National Research Institute for Earth Science and Disaster Resilience. J-SHIS Earthquake Hazard Station. <http://www.j-shis.bosai.go.jp/>. Accessed in March 2017.
- [6] National Research Institute for Earth Science and Disaster Resilience. Mesh and point data of liquefaction distribution in the 2016 Kumamoto Earthquake.
- [7] Japan Water Research Center (March 2011). Research Report on Predictive Equation for Earthquake Damage to Pipelines. Guidance Book on Estimating Earthquake Damage to Water Supply Pipelines.